

V-20 115 VOLT FUEL TRANSFER PUMPS



GPRO V20 115

The GPRO V20-115 series is the next-generation modular vane pump for stationary applications fueling large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted. 5 Year Limited Warranty.

MODEL #

PREFERRED

60-171050-01

V20
115 V.
Pump Only
With Meter

\$ 1,073.10



GPRO V20 115V

The GPRO V20-115 series is the next-generation modular vane pump for stationary applications fueling large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted. 5 Year Limited Warranty.

60-171000-01

V20
115V. Pump Only

\$ 746.90

60-171000-03

V20
115V. Pump With M30
G8N Meter, 1" x 14' Hose,
& Automatic Nozzle

\$ 980.00



GPRO V20-115 3/4"

The GPRO V20-115 3/4-inch series is the next-generation modular vane pump for stationary applications fueling medium and large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted. 5 Year Limited Warranty.

60-171001-01

V20
115 V.
3/4" Pump Only

\$ 746.90

60-171001-03

V20
115 V.
3/4" Pump w/ Automatic
Nozzle

\$ 877.10

GPRO 35 115/230 V. FUEL TANSFER PUMPS

	MODEL #	PREFERRED
 <p style="text-align: center;">PRO 35-115</p> <p style="text-align: center;">GPI Professional series 35 GPM 115/230 V. pump, with extended duty cycle, field replaceable switch and vanes, thermally protected motor, and weight centering inlet base.</p>	<p style="text-align: center;">60-504000-01</p> <p style="text-align: center;">PRO 35 115/230 V. Pump Only</p>	<p style="text-align: center;">\$ 951.99</p>
 <p style="text-align: center;">PRO 35-115/230 COMBO</p> <p style="text-align: center;">GPI Professional series 35 GPM 115/230 V. pump, Factory assembled with QM240 meter, field replaceable switch and vanes, thermally protected motor, vacuum breaker ready, weight centering inlet base and tank adapter.</p>	<p style="text-align: center;">60-504000-03</p> <p style="text-align: center;">PRO 35 115/230 V. Pump with 1" x 18' Hose, & Automatic Nozzle</p>	<p style="text-align: center;">\$ 1,428.00</p>
	<p style="text-align: center;">60-504000-70</p> <p style="text-align: center;">PRO 35 115/230 V. Pump with Meter Only QM240 G8N</p>	<p style="text-align: center;">\$ 1,547.00</p>
	<p style="text-align: center;">60-504000-71</p> <p style="text-align: center;">PRO 35 115/230 V. Pump with Meter QM240 G8N, 1" x 18' Hose, & Automatic Nozzle</p>	<p style="text-align: center;">\$ 1,705.99</p>

GPRO 12 VOLT FUEL TRANSFER PUMPS



V25 12 VOLT

GPI Professional series 25 GPM 12 Volt pump, with extended duty cycle, field replaceable switch and vanes, 40 amp circuit breaker motor protection, pressure relief, easy strainer access, and weight centering base. 5 Year Limited Warranty.

MODEL #	PREFERRED
60-170000-01 V25 12 Volt Pump Only	\$ 793.10
60-170000-09 V25 12 Volt Pump With Power Cord	\$ 868.00
60-170000-03 V25 12 Volt Pump With 1" x 18' Hose, & Automatic Nozzle	\$ 980.00

FloMec Meter



The FLOMEC QM240 meter is extremely accurate flexible, and reliable. UP to 40 GPM, 4X Higher accuracy: 1/2% over all. No leaks, or seals. Versatile rotatable mount. No calibration needed.

60-139000-01 QM240 1" Inlet/Outlet	\$ 336.24
--	-----------

M30 Mechanical Fuel Meter



M30 1" NPT mechanical fuel meter. It is aluminum meter that is good for use with diesel, gasoline, E15, and Kerosene. Meters from 5-30 GPM. 4 Year Warranty.

60-165100-01 M30	\$ 239.76
---------------------	-----------

Electronic Digital Meter



Light weight aluminum turbine meter. Flow range of 3 to 30 GPM (10 to 100 LPM). Powered by two AAA batteries that are easy to replace. Factory calibrated for fuel. Typical accuracy of +/- 2.5 (accuracy can vary to +/- 5%).

The 01A meter is easy to handle and easy to use. You can mount this meter right at the nozzle for a quick read of the large 4-digit LCD display. It is compact and light at just 14 ounces.

60-113255-1 01A31GM	\$ 153.36
------------------------	-----------

GPI G20 12 VOLT FUEL TRANSFER PUMPS



G20 12 VOLT

The G20 Fuel Transfer Pump by GPI is the first of its kind to deliver True 20 GPM when combined with a 14' hose and Automatic shutoff nozzle. 4 bolt flanged outlet allows for modular mounting of filter or meter option.

MODEL #

PREFERRED

60-162000-01

G20

12 Volt Pump Only

\$ 440.22

60-162000-03

G20

12 Volt Pump With 1" x 14' Hose, & Automatic Nozzle

\$ 615.78

M30 Mechanical Fuel Meter



M30 1" NPT mechanical fuel meter. It is aluminum meter that is good for use with diesel, gasoline, E15, and Kerosene. Meters from 5-30 GPM. 4 Year Warranty.

60-165100-01

\$ 239.76

Filter Kit Package



Quick-Fit Filter Adapter Kit: Includes a 10 Micron Particulate filter and a Quick Fit Modular Filter Adapter

60A-129500-01

\$ 96.00

12 VOLT ECONOMY FUEL TRANSFER PUMPS

GPI 12 Volt Gear Pump	MODEL #	PREFERRED
 <p>M-150S</p> <p>The M-150S is a 12 volt pump with proven dependability and efficiency. UL listed motor and CSA certified. Overload protected motor for long life. 2 Year Warranty.</p>	<p>60-110000-100 M-150S-AU Up to 15 GPM 3/4" x 12' Hose, Automatic Nozzle</p>	<p>\$ 440.22</p>
	<p>60-110000-99 M-150S-MU Up to 15 GPM 3/4" x 12' Hose, Manual Nozzle</p>	<p>\$ 404.58</p>
	<p>60-110000-103 M-150S-MU-PO Up to 15 GPM Pump Only</p>	<p>\$ 325.38</p>
<p>GPI 12 Volt Gear Pump</p>  <p>M-180S</p> <p>Put this pump to work for you with its increased flowrate reduces the time required for fuel transfer, it is easy to install and maintain. UL listed and CSA certified motor. Overload protected motor for long life. 2 year warranty.</p>	<p>60-110300-7 M-180S-PO Pump Only Up to 18 GPM</p>	<p>\$ 396.00</p>
	<p>60-110300-1 M-180S-ML Up to 18 GPM 1" x 12' hose, Manual Nozzle</p>	<p>\$ 466.62</p>
	<p>60-110300-2 M-180S-AU Up to 18 GPM 1" x 12' hose, Automatic Nozzle</p>	<p>\$ 501.60</p>
<p>EZ-8 12 Volt Fuel Pump</p>  <p>Lightweight and easy to handle, the EZ-8 Fuel pump is ideal for on-the-go-fueling. Duty cycle is 15 min. on / 30 mins. off. Designed for tanks up to 120 gallons.</p>	<p>60-137100-01 Up to 8 GPM 5/8" x 10' hose, Manual nozzle</p>	<p>\$ 290.40</p>
<p>G8P 12 Volt Portable Fuel Pump</p>  <p>GPI Portable 12V fuel transfer pump. Includes 5/8" x 8' Hose & Manual Nozzle. 2 Year Warranty</p>	<p>60-147000-01 G8P-012-MU Up to 8 GPM 5/8" x 10' hose, Manual nozzle</p>	<p>\$ 351.78</p>

24 VOLT FUEL TRANSFER PUMPS

GPRO 24 Volt Fuel Transfer Pump



The GPRO V25 24 volt Professional grade pump comes with a 1" x 18' Hose, Manual or Automatic Nozzle options available. Can use with Diesel, Gasoline, and Kerosene. Pumps Up to 25 GPM. Limited 5 Year Warranty

MODEL

PREFERRED

60-170001-01

V25-024PX

PUMP ONLY
Up to 25 GPM

\$ 840.00

60-170001-03

V25-024AD

Up to 25 GPM
1" x 18' hose, Automatic
Nozzle

\$ 1,026.90

24 Volt Gear Pump



The M-240S is a 24 volt pump with proven dependability and efficiency. UL listed motor and CSA certified. Overload protected motor for long life.

60-110000-70

M-240-S-MU

Up to 15 GPM
3/4" x 12' hose,
Manual Nozzle

\$ 440.22

GPI 115 VOLT STANDARD DUTY FUEL TRANSFER PUMPS

M-115 Series 115 V. Gear Pump 12 GPM



Standard pump comes with 3/4" x 12' hose and manual nozzle option. Excellent for gasoline (ethanol blends up to E15), diesel (biiodiesel blends to B20), and kerosene.

60-110000-87

M-1115S-PO

115 Volt Pump Only

\$ 387.42

60-110000-81

M-1115S-MU

115 Volt Pump with
3/4" x 12' Hose, &
Manual Nozzle

\$ 466.62




60-110000-82

M-1115S-AU




115 Volt Pump with
3/4" x 12' Hose, &
Automatic Nozzle

\$ 501.60

GPI HAND PUMPS

GPI HAND PUMPS		
	MODEL #	PREFERRED
<p style="text-align: center;">Premium Dual-Flow Hand Pump</p>  <p>The Dual-Flow hand pump is a premium hand pump provides high volume and low volume settings. Pumps fluid on both the push and pull strokes for fast delivery.</p> <p>Delivers up to 50 GPM per 100 strokes. Lightweight corrosion-resistant aluminum construction. Comes with 3/4" x 8' hose. UL listed model available. Built in anti-siphon valve. 2 year warranty.</p>	<p>60-114000-10</p> <p>HP-100-UL</p>	<p>\$ 226.44</p>
<p style="text-align: center;">GPI Diaphragm Hand Pump</p>  <p>This GPI lever action diaphragm pump with lockable handle can be used for dirty contaminated fluids. Delivers up to 20 gallons per 100 strokes.</p> <p>Includes a 3/4" x 8' hose, plastic nozzle with built-in nozzle holder, 2-piece PVC suction pipe. Lightweight aluminum housing. Use with gasoline, diesel fuel, kerosene, medium oil (up to 30W) and hydraulic fluid. 2 Year warranty.</p>	<p>60-138000-02</p> <p>DP20-UL</p>	<p>\$ 299.20</p>
<p style="text-align: center;">GPI Rotary Hand Pump</p>  <p>This hand pump is rugged simplicity in action, with extra efficiencies in field transfer of gasoline and up to medium weight oils. Designed for use with portable tanks, drums, or barrels, this self-priming pump provides up to 10 gallons per 100 revolutions. This pump is perfect for construction, agriculture, and other industries where maximum productivity and maximum portability are important.</p> <p>Strainer and anti-siphon valve built in. Lightweight but extremely durable aluminum housing to resist scratches and corrosion. Includes nozzle hanger and handle-locking tab for convenience and security. Comes with 3/4" x 8' hose. UL listed. 2 Year warranty.</p>	<p>60-123000-06</p> <p>RP-10-UL</p>	<p>\$ 226.44</p>


GPI HAND PUMPS

		MODEL #	PREFERRED
<p>GPI Rotary Hand Pump</p>  <p>This is a light-duty rotary hand pump that fits a standard 55-gallon barrel. Delivers up to 8 GPM per 100 revolutions.</p> <p>Mounts on a standard 55-gallon barrel with 2" NPT bung. Includes adjustable spout and easy spin handle. Built in strainer prevents damage from contaminants. 90 day warranty.</p>	<p>60-129003-1</p> <p>RP-5</p>	<p>\$ 72.76</p>	
<p>GPI Lever Hand Pump</p>  <p>This lever action pump works with drums up to 36 in. It is made of polypropylene and is 2" NPT mounting. For use with water, antifreeze, petroleum based products, mild detergents, lubricants and most Ag chemicals. Flow rate of up to 1 pint per stroke. 90 day warranty.</p>	<p>60-129000-1</p> <p>LP-50</p>	<p>\$ 72.76</p>	
<p>GPI Lever Hand Pump</p>  <p>Plunger action pump with convenient lever handle on a barrel. For use with lightweight petroleum products, oils, anti-freeze and kerosene. Has 2" NPT mounting and an adjustable plastic suction pipe 19 to 35 in. Flow rate of up to 1 pint per stroke. 90 day warranty.</p>	<p>60-129010-1</p> <p>BP-12</p>	<p>\$ 45.56</p>	

GPI FUEL METERS

GPI FUEL METERS		
	MODEL #	PREFERRED
 <p style="text-align: center;">FloMec Meter</p> <p>The FLOMEC QM240N10 meter is extremely accurate, flexible, and reliable. UP to 40 GPM, 4X Higher accuracy: 1/2% over all. No leaks, or seals. Versatile rotatable mount. No calibration needed.</p>	<p>60-139000-01</p> <p>QM240N10</p> <p>1" Inlet/Outlet</p>	<p>\$ 336.24</p>
<p style="text-align: center;">M30 Mechanical Fuel Meter</p>  <p>M30 Mechanical fuel meter. It is an aluminum meter that is good for use with diesel, gasoline, E15, and kerosene. Meters from 5-30 GPM. 4 Year warranty.</p>	<p>60-165100-03</p> <p>3/4" M30</p>	<p>\$ 239.76</p>
	<p>60-165100-01</p> <p>1" M30</p>	<p>\$ 239.76</p>
<p style="text-align: center;">Electronic Digital Meter</p>  <p>Light weight aluminum turbine meter. Flow range of 3 to 30 GPM (10 to 100 LPM). Powered by two AAA batteries that are easy to replace. Factory calibrated for fuel. Typical accuracy of +/- 2.5 (accuracy can vary to +/- 5%).</p> <p>The 01A meter is easy to handle and easy to use. You can mount this meter right at the nozzle for a quick read of the large 4-digit LCD display. It is compact and light at just 14 ounces.</p>	<p>60-113255-1</p> <p>01A31GM</p>	<p>\$ 153.36</p>

GPI METHANOL PUMPS AND METERS

	MODEL #	PREFERRED
<p>GPI M-150S Methanol-PO</p>  <p>12 Volt DC aluminum gear pump with nickel plating for use with methanol. Delivers up to 15 GPM. Includes 18' power cord.</p>	<p>60-110700-01</p> <p>12 volt pump only</p>	<p>\$ 536.58</p>
<p>GPI M-115S Methanol-PO</p> <p>115 Volt AC gear pump with nickel plating for use with methanol. Delivers up to 12 GPM.</p>	<p>60-110700-04</p> <p>110 volt pump only</p>	<p>\$ 580.80</p>
<p>GPI 01A31GM Digital Methanol Meter</p>  <p>Meter is nickel plated for use with methanol. This aluminum meter displays in gallons and includes 1" NPT threads. Flowrate is 3 to 30 GPM. Field replaceable AAA batteries.</p>	<p>60-113700-02</p>	<p>\$ 176.22</p>

GPI REMOTE PUMPS & DISPENSERS

115/230 Volt Remote Dispenser Pumps



Pro20 and Pro35 Aboveground Tank pumps for use with remote dispenser QM240-RD

MODEL #


60-504000-04

PRO35
115/230 Volt
Pump Only
Up to 35 GPM

PREFERRED

\$ 1,586.90

QM240-RD



Remote dispenser 2-40 GPM; includes QM fuel meter, solenoid valve, and lockable nozzle holder.

60-143650-21

QM240-RD
2 to 40 GPM

\$ 2,333.10

Mounting Shelf Kit



60A-143500-16

\$ 159.99



Leaders in Fluid Handling Solutions

Toll Free: 1-877-737-4690

www.strickequipment.com

B 12

NOTES

PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST POPULAR ITEMS ORDERED AND THEIR PART NUMBERS

A large, empty rectangular box with a black border, intended for handwritten notes or tracking of popular items ordered.