

B1

V-20 115 VOLT FUEL TRANSFER PUMPS		
	MODEL#	PREFERRED
GPRO V20 115 The GPRO V20-115 series is the next-generation modular vane pump for stationary applications fueling large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted. 5 Year Limited Warranty.	60-171050-01 V20 115 V. Pump Only With Meter	\$ 971.94
PRO	60-171000-01 V20 115V. Pump Only	\$ 676.05
GPRO V20 115V The GPRO V20-115 series is the next-generation modular vane pump for stationary applications fueling large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted. 5 Year Limited Warranty.	60-171000-03 V20 115V. Pump With M30 G8N Meter, 1" x 14' Hose, & Automatic Nozzle	\$ 887.04
PRD PRD	60-171001-01 V20 115 V. 3/4" Pump Only	\$ 676.05
GPRO V20-115 3/4" The GPRO V20-115 3/4-inch series is the next-generation modular vane pump for stationary applications fueling medium and large equipment. The V20 is engineered to deliver consistent high-pressure performance from a tough, hard-working modular vane pump. 115V AC motor delivers up to 20 GPM. It's fast and flexible; able to load up to 600 gallons of fuel uninterrupted. 5 Year Limited Warranty.	60-171001-03 V20 115 V. 3/4" Pump w/ Automatic Nozzle	\$ 793.90



Toll Free: 1-877-737-4690 www.strickequipment.com

GPRO 35 115/230 V. FUEL TANSFER PUMPS

GPRO 35 115/230 V. FUEL TANSFER PUMPS		
	MODEL#	PREFERRED
PRU SY	60-504000-01	
	PRO 35 115/230 V. Pump Only	\$ 1,351.47
PRO 35-115		
	60-504000-03	
GPI Professional series 35 GPM 115/230 V. pump, with extended duty cycle, field replaceable switch and vanes, thermally protected motor, and weight centering inlet base.	PRO 35 115/230 V. Pump with 1" x 18' Hose, & Automatic Nozzle	\$ 1,520.64
	60-504000-70	
PRO	PRO 35 115/230 V. Pump with Meter Only QM240 G8N	\$ 1,647.36
	60-504000-71	
PRO 35-115/230 COMBO	00-304000-71	
GPI Professional series 35 GPM 115/230 V. pump, Factory assembled with QM240 meter, field replaceable switch and vanes, thermally protected motor, vacuum breaker ready, weight centering inlet base and tank adapter.	PRO 35 115/230 V. Pump with Meter QM240 G8N, 1" x 18' Hose, & Automatic Nozzle	\$ 1,816.53



B3

GPRO 12 VOLT FUEL TRANSFER PUMPS		
	MODEL#	PREFERRED
PRI	60-170000-01 V25 12 Volt Pump Only	\$ 676.05
V25 12 VOLT GPI Professional series 25 GPM 12 Volt pump, with ex-	60-170000-09 V25 12 Volt Pump With Power Cord	\$ 733.08
tended duty cycle, field replaceable switch and vanes, 40 amp circuit breaker motor protection, pressure relief, easy strainer access, and weight centering base. 5 Year Limited Warranty.	60-170000-03 V25 12 Volt Pump With 1" x 18' Hose, & Automatic Nozzle	\$ 844.59
The FLOMEC QM240 meter is extremely accurate flexible, and reliable. UP to 40 GPM, 4X Higher accuracy: 1/2% over all. No leaks, or seals. Versatile rotatable mount. No calibration needed.	60-139000-01 QM240 1" Inlet/Outlet	\$ 295.89
M30 Mechanical Fuel Meter M30 1" NPT mechanical fuel meter. It is aluminum meter that is good for use with diesel, gasoline, E15, and Kerosene. Meters from 5-30 GPM. 4 Year Warranty.	60-165100-01 M30	\$ 194.52
Light weight alinimum turbine meter. Flow range of 3 to 30 GPM (10 to 100 LPM). Powered by two AAA batteries that are easy to replace. Factory calibrated for fuel. Typical accuracy of +/- 2.5 (accuracy can vary to +/- 5%. The 01A meter is easy to handle and easy to use. You can mount theis meter right at the nozzle for a quick read of the large 4-digit LCD display. It is compact and light at just 14 ounces.	60-113255-1 01A31GM	\$ 134.96



B4

GPI G20 12 VOLT FUEL TRANSFER PUMPS		
	MODEL#	PREFERRED
	60-162000-01 G20	\$ 405.50
	12 Volt Pump Only	
G20 12 VOLT		
	60-162000-03	
The G20 Fuel Transfer Pump by GPI is the first of its kind to deliver True 20 GPM when combined with a 14' hose and Automatic shutoff nozzle. 4 bolt flanged outlet allows for modular mounting of filter or	G20	\$ 574.68
meter option.	12 Volt Pump With 1" x 14' Hose, & Automatic Nozzle	
M30 Mechanical Fuel Meter M30 1" NPT mechanical fuel meter. It is aluminum meter that is good for use with diesel, gasoline, E15, and Kerosene. Meters from 5-30 GPM. 4 Year Warranty.	60-165100-01	\$ 194.52
Filter Kit Package Quick-Fit Filter Adapter Kit: Includes a 10 Micron Particulate filter and a Quick Fit Modular Filter Adapter	60A-129500-01	\$ 84.00



B 5

12 VOLT ECONOMY FUEL TRANSFER PUMPS		
GPI 12 Volt Gear Pump	MODEL#	PREFERRED
	60-110000-100 M-150S-AU Up to 15 GPM 3/4" x 12' Hose, Automatic Nozzle	\$ 413.74
M-150S	60-110000-99 M-150S-MU Up to 15 GPM 3/4" x 12' Hose, Manual Nozzle	\$ 380.16
The M-150S is a 12 volt pump with proven depend- ability and efficiency. UL listed motor and CSA certified. Overload protected motor for long life. 2 Year Warranty.	60-110000-103 M-150S-MU-PO Up to 15 GPM Pump Only	\$ 312.36
GPI 12 Volt Gear Pump	60-110300-7 M-180S-PO Pump Only Up to 18 GPM	\$ 363.05
M-180S	60-110300-1 M-180S-ML Up to 18 GPM 1" x 12' hose, Manual Nozzle	\$ 430.85
Put this pump to work for you with its increased flowrate reduces the time required for fuel transfer, it is easy to install and maintain. UL listed and CSA certified motor. Overload protected motor for long life. 2 year warranty.	60-110300-2 M-180S-AU Up to 18 GPM 1" x 12' hose, Automatic Nozzle	\$ 464.43
EZ-8 12 Volt Fuel Pump Lightweight and easy to handle, the EZ-8 Fuel pump is ideal for on-the-go-fueling. Duty cycle is 15 min. on / 30 mins. off. Designed for tanks up to 120 gallons.	60-137100-01 Up to 8 GPM 5/8" x 10' hose, Manual nozzle	\$ 278.78
GPI Portable 12V fuel transfer pump. Includes 5/8" x 8' Hose & Manual Nozzle. 2 Year Warranty	60-147000-01 G8P-012-MU Up to 8 GPM 5/8" x 10' hose, Manual nozzle	\$ 337.71



PREFERRED

\$ 717 87



Leaders in Fluid Handling Solutions

Toll Free: 1-877-737-4690 www.strickequipment.com

24 VOLT FUEL TRANSF	ER PUMPS
GPRO 24 Volt Fuel Transfer Pump	MODEL#
	I

The GPRO V25 24 volt Professional grade pump comes with a 1" x 18' Hose, Manual or Automatic Nozzle options available. Can use with Diesel, Gasoline, and Kerosene. Pumps Up to 25 GPM. Limited 5 Year Warranty

	\$ 111.01
PUMP ONLY Up to 25 GPM	
60-170001-03	
V25-024AD	\$ 887.04
Up to 25 GPM 1" x 18' hose, Automatic	

24 Volt Gear Pump



The M-240S is a 24 volt pump with proven dependability and efficiency. UL listed motor and CSA certified. Overload protected motor for long life.

60-1	100	00-7	' 0

Nozzle

60-170001-01

V25-024PX

Up to 15 GPM 3/4" x 12' hose.

Manual Nozzle

M-240-S-MU

\$ 405.50

GPI 115 VOLT STANDARD DUTY FUEL TRANSFER PUMPS

M-115 Series 115 V. Gear Pump 12 GPM



Standard pump comes with 3/4" x 12' hose and manual nozzle option. Excellent for gasoline (ethanol blends up to E15), diesel (bioddiesel blends to B20), and kerosene.

	60-110000-87	
	M-1115S-PO	\$ 371.92
	115 Volt Pump Only	
	60-110000-81	
	M-1115S-MU	
	115 Volt Pump with 3/4" x 12' Hose, & Manual Nozzle	\$ 439.08
	60-110000-82	
	M-1115S-AU	A 470 00
	115 Volt Pump with 3/4" x 12' Hose, & Automatic Nozzle	\$ 473.30



B7

GPI HAND PUMPS		
Premimum Dual-Flow Hand Pump	MODEL#	PREFERRED
The Dual-Flow hand pump is a premium hand pump provides high volume and low volume settings. Pumps fluid on both the push and pull strokes for fast delivery. Delivers up to 50 GPM per 100 strokes. Lightweight corrosion-resistant aluminum construction. Comes with 3/4" x 8' hose. UL listed model available. Built in anti-siphon valve. 2 year warranty.	60-114000-10 HP-100-UL	\$ 210.99
GPI Diaphragm Hand Pump		
This GPI lever action diaphragm pump with lockable handle can be used for dirty contaminated fluids. Delivers up to 20 gallons per 100 strokes. Includes a 3/4" x 8' hose, plastic nozzle with built-in nozzle holder, 2-piece PVC suction pipe. Lightweight aluminum housing. Use with gasoline, diesel fuel, kerosene, medium oil (up to 30W) and hydraulic fluid. 2 Year warranty.	60-138000-02 DP20-UL	\$ 253.44
GPI Rotary Hand Pump This hand pump is rugged simplicity in action, with extra efficiencies in field transfer of gasoline and up to medium weight oils. Designed for use with portable tanks, drums, or barrels, this self-priming pump provides up to 10 gallons per 100 revolutions. This pump is perfect for construction, sgriculture, and other industries where maximum productivity and maximum portability are important. Strainer and anti-siphon valve built in. Lightweight but extremely durable aluminum housing to resist scratches and corrosion. Includes nozzle hanger and handle-locking tab for convenience and security. Comes with 3/4" x 8' hose. UL listed. 2 Year warranty.	60-123000-06 RP-10-UL	\$ 210.99



B8

GPI HAND PUMPS			
		MODEL#	PREFERRED
	GPI Rotary Hand Pump This is a light-duty rotary hand pump that fits a standard 55-gallon barrel. Delivers up to 8 GPM per 100 revolutions. Mounts on a standard 55-gallon barrel with 2" NPT bung. Includes adjustable spout and easy spin handle. Built in strainer prevents damage from contaminants. 90 day warranty.	60-129003-1 RP-5	\$ 67.80
	GPI Lever Hand Pump		
	This lever action pump works with drums up to 36 in. It is made of polypropylene and is 2" NPT mounting. For use with water, antifreeze, petroleum based products, mild detergents, lubricants and most Ag chemicals. Flow rate of up to 1 pint per stroke. 90 day warranty.	60-129000-1 LP-50	\$ 55.12
	GPI Lever Hand Pump		
	Plunger action pump with convenient lever handle on a barrel. For use with lightweight petroleum products, oils, anti-freeze and kerosene. Has 2" NPT mounting and an adjustable plastic suction pipe 19 to 35 in. Flow rate of up to 1 pint per stroke. 90 day warranty.	60-129010-1 BP-12	\$ 38. 65





GPI FUEL METERS				
	FloMec Meter	MODEL#	PREFERRED	
D D D C	The FLOMEC QM240N10 meter is extremely accurate, flexible, and reliable. UP to 40 GPM, 4X Higher accuracy: 1/2% over all. No leaks, or seals. Versatile rotatable mount. No calibration needed.	60-139000-01 QM240N10 1" Inlet/Outlet	\$ 295.89	
0000	M30 Mechanical Fuel Meter M30 Mechanical fuel meter. It is an aluminum meter that is good for use with diesel, gasoline, E15, and kerosene. Meters from 5-30 GPM. 4 Year warranty.	60-165100-03 3/4" M30	\$ 194.52	
M30 FUEL METER		60-165100-01 1" M30	\$ 194.52	
	Light weight aluminum turbine meter. Flow range of 3 to 30 GPM (10 to 100 LPM). Powered by two AAA batteries that are easy to replace. Factory calibrated for fuel. Typical accuracy of +/- 2.5 (accuracy can vary to +/- 5%). The 01A meter is easy to handle and easy to use. You can mount this meter right at the nozzle for a quick read of the large 4-digit LCD display. It is compact and light at just 14 ounces.	60-113255-1 01A31GM	\$ 134.96	
03 Series Electronic Digital Meters		60-113900-9500 03A30GM 0.3 TO 3 GPM 1" NPT	\$ 337.71	
Easy to use, describes these lightweight and compact meters with 6 digit LCD readout. These aluminum housing meters are available with factory and field calibration.		60-113900-9501 03A31GM 0.3 TO 50 GPM 1" NPT	\$ 299.06	
Comes with 1 inch or 2 inch NPT threads. Factory calibration accuracy is +/- 1.5%. Field calibration accuracy is +/- 1%. Easy to read display up to 999,999. Access all functions using just two buttons.		60-113900-9502 03A30GM 30 TO 300 GPM 2" NPT	\$ 659.58	



B10

GPI METHANOL PUMPS AND METERS				
GPI M-150S Methanol-PO	MODEL#	PREFERRED		
	60-110700-01 12 volt pump only	\$ 506.88		
12 Volt DC aluminum gear pump with nickel plating for use with methanol. Delivers up to 15 GPM. Includes 18' power cord. GPI M-115S Methanol-PO	60-110700-04 110 volt pump only	\$ 549.33		
115 Volt AC gear pump with nickel plating for use with methanol. Delivers up to 12 GPM.				
EZ-8 GPI Methanol Gear Pump Only	60-137700-01 12 volt pump only	\$ 337.71		
12 volt DC aluminum gear pump with nickel plating for use with methanol. Delivers up to 8 GPM.				
GPI 01A31GM Digital Methanol Meter				
FOR MOTOR ROLE ONLY DISPLAY ORAN PLANS NOUSHES, NC. INCHEAS. ORAN PLANS NOUSHES, NC. INCHEAS.	60-113700-02	\$ 169.17		
Meter is nickel plated for use with methanol. This aluminum meter displays in gallons and includes 1" NPT threads. Flowrate is 3 to 30 GPM. Field replacable AAA batteries.				



B11

GPI REMOTE PUMPS & DISPENSERS				
115/230 Volt Remote Dispenser Pumps	MODEL#	PREFERRED		
FPRD REPURSING THE PROPERTY OF	PRO20 115/230 Volt Pump Only Up to 20 GPM	\$ 717.87		
	60-504000-04			
Pro20 and Pro35 Aboveground Tank pumps for use with remote dispenser QM240-RD	PRO35 115/230 Volt Pump Only Up to 35 GPM	\$ 1,393.92		
QM240-RD Remote dispenser 2-40 GPM; includes QM fuel meter, solenoid valve, and lockable nozzle holder.	60-143650-21 QM240-RD 2 to 40 GPM	\$ 1,689.81		
Mounting Shelf Kit	60A-143500-16			
Cabinet Base Measures 15 in. x 13 in. x 34 in.	60A-133511-02			



Leaders in Fluid Handling Solutions Toll Free: 1-877-737-4690

B12

NOTES PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST POPULAR ITEMS ORDERED AND THEIR PART NUMBERS		