

H1

Toll Free: 1-877-737-4690 www.strickequipment.com

Г			
TA	NK TRUCK	EQUIPMENT	
FRW Dash	port Nozzle	MODEL#	PREFERRED
For Bulk Fuel Dashport ensure ing and precise Extra heavy lu	Oil Delivery es easy open- e topping off	1 1/4" 26-410-300-03 without spout	\$ 302.50
nozzle life. Avai or 1 1/2" Nozzl	points means longer useful nozzle life. Available in 1 1/4" or 1 1/2" Nozzles DO NOT Include Spout		\$ 320.00
Brass Fuel Oil Nozzle Spouts		1 1/4" NPT x 1 1/8" 26-410-122-01	\$ 93.75
		1 1/4" NPT x 1 3/8" 26-410-133-01	\$ 87.50
		1 1/2" NPT x 1 5/8" 26-410-129-01	\$ 102.50
Fuel delivery nozzle tubes fit E nozzles and are constructed wall tubes and include cast br attachment to nozz	of .065 brass ass for secure	1 1/2" NPT x 1 3/8" 26-410-116-01	\$ 93.75
Model 465 Hose	e Swivel	1 1/4 x 1 1/4 26-465-101-01	\$ 160.00
Designed for ease of delivery, and features a free swivel action up to 125 psi with fluorcarbon O-ring seals that enable it to turn smoothly. Available in 1 1/4" or 1 1/2" with or without check		1 1/4 x 1 1/4 26-465-101-02 w/ check	\$ 185.00
		1 1/2 x 1 1/2 26-465-102-01	\$ 165.00
valve.		1 1/2 x 1 1/2 26-465-102-02 w/ check	\$ 196.25
NOZZLE CO	ONES	1 1/4" 14-R54	\$ 42.78
Available in 1 1/4" and 1 1/2"		1 1/2" 14-R64	\$ 43.92



Toll Free: 1-877-737-4690 www.strickequipment.com

KAM STYLE DRY DISCONNECTS



Elbow Couplers with Swivel

Dry disconnect couplings are used on multi compartment petroleum, solvent and chemical product delivery trucks with an on board pumping unit. Helps reduce the hazard potential of spilled liquid during the connection/disconnection process. Available in 2" or 3" with Buna or Viton Seals.

MODEL#	PREFERRED
2" OPW w/ Buna Seals 27-1711-ES-0200	\$ 736.56
2" OPW w/ Viton Seals 27-1712-ES-0200	\$ 846.56
2" Dixon w/ Buna Seals 14-DBS61-200	\$ 811.35
2" Dixon w/ Viton Seals 14-DBS62-200	\$ 935.77
2" OPW w/ Buna Seals	¢ 600 06

Straight Couplers



Used at liquid transfer points where product loss could occur, they provide a reliable solution to prevent spillage during connection or disconnection. They are well suited for handling petroleum products, solvents agchemicals, vegetable oils, detergents and many acids and caustics. Available in 2" or 3" with Buna or Viton Seals.

Adaptors





Helps to prevent liquid spillage during the connection/disconnection process. The adaptor contains a spring loaded poppet to assure fast closing and tight seal. Available in 2" or 3" with Buna or Viton Seals.

MODEL#	PREFERRED
2" OPW w/ Buna Seals 27-1711-ES-0200	\$ 736.56
2" OPW w/ Viton Seals 27-1712-ES-0200	\$ 846.56
2" Dixon w/ Buna Seals 14-DBS61-200	\$ 811.35
2" Dixon w/ Viton Seals 14-DBS62-200	\$ 935.77
2" OPW w/ Buna Seals 27-1711-DL-AL20	\$ 608.96
2" OPW w/ Viton Seals 27-1712-DL-AL20	\$ 679.36
3" OPW w/ Buna Seals 27-1711-DL-AL30	\$ 1,204.72
3" OPW w/ Viton Seals 27-1712-DL-AL30	\$ 1,341.12
2" Dixon w/ Buna Seals 14-DBC61-200	\$ 669.18
2" Dixon w/ Viton Seals 14-DBC62-200	\$ 749.64
3" Dixon w/ Buna Seals 14-DBC61-300	\$ 1,393.81
3" Dixon w/ Viton Seals 14-DBC62-300	\$ 1,555.74
2" OPW w/ Buna Seals 27-1611-AN-AL20	\$ 198.00
2" OPW w/ Viton Seals 27-1612-AN-AL20	\$ 203.28
3" OPW w/ Buna Seals 27-1611-AN-AL30	\$ 340.56
3" OPW w/ Viton Seals 27-1612-AN-AL30	\$ 353.76
2" Dixon w/ Buna Seals 14-DBA 11-200	\$ 199.26
2" Dixon w/ Viton Seals 14-DBA 12-200	\$ 212.53
3" Dixon w/ Buna Seals 14-DBA 11-300	\$ 382.00
3" Dixon w/ Viton Seals 14-DBA 12-300	\$ 394.23





Toll Free: 1-877-737-4690 www.strickequipment.com

BAYONET STYLE DRY DISCONNECTS

MODEL# **Dry Disconnects with 90° Swivel Coupler PREFERRED** 2" w/ Buna Seal \$ 730.35 14-BS61-200 2" w/ Viton Seal \$ 787.72 14-BS62-200 3" w/ Buna Seal \$ 1,248.16 14-BS61-300 Bayonet style aluminum dry disconnect with 90° swivel coupler X Female NPT. Avail-3" w/ Viton Seal \$ 1,347.72 able in 2" or 3" with Buna or Viton seals. 14-BS62-300 2" w/ Buna Seal **Dry Disconnect Straight Coupler** \$ 580.26 14-BC61-200 2" w/ Viton Seal \$ 623.51 14-BC62-200 2" w/ Buna Seal w/ \$ 730.35 Swivel 14-BSS61-200 2" w/ Viton Seal w/ Swivel \$ 787.72 14-BSS62-200 3" w/ Buna Seal w/ Swivel \$ 1,179.03 14-BSS61-300 Bauonet Style Aluminum Dry Disconnect Straight Coupler. Female X NPT, available 3" w/ Viton Seal w/ in 2" or 3" with Buna or Viton seals. Swivel \$ 1,280.25 14-BSS62-300 **Bayonet Style Adaptors** 2" w/ Buna Seal \$ 182.17 14-BA31-200 Bayonet style adaptor by 2" w/ Viton Seal Female NPT. Designed for \$ 182.17 14-BA32-200 use in the fuel and lube oil service industry. Used with 3" w/ Buna Seal the EMCO Wheaton dry \$ 404.80 14-BA61-300 break commonly found in these services. 3" w/ Viton Seal \$ 404.80 14-BA62-300





4"

\$ 1.94

\$ 2.99

Leaders in Fluid Handling Solutions

Toll Free: 1-877-737-4690 www.strickequipment.com

•							
		QL	JICK C	OUPLER	S		
Male Adapter x	Fe- Size	Aluminum	Price	Male Adapter		Aluminum	Price
male NPT	3/4"	06-G75-A-AL	\$ 5.95	Hose Shank	3/4"	06-G75-E-AL	\$ 5.24
The second of the second	1"	06-G100-A-AL	\$ 6.12	-	1"	06-G100-E-AL	\$ 6.07
(A-S00)	1 1/4"	06-G125-A-AL	\$ 9.29	2002 6521	1 1/4"	06-G125-E-AL	\$ 9.00
DIXUN	1 1/2"	06-G150-A-AL	\$ 6.75		1 1/2"	06-G150-E-AL	\$ 7.75
100	2"	06-G200-A-AL	\$ 7.21		2"	06-G200-E-AL	\$ 9.93
	2 1/2"	06-G250-A-AL	\$ 17.25		2 1/2"	06-G250-E-AL	\$ 19.00
Don't A	3"	06-G300-A-AL	\$ 14.58		3"	06-G300-E-AL	\$ 17.89
Part A	4'	06-G400-A-AL	\$ 22.97	Part E	4'	06-G400-E-AL	\$ 29.50
Female Couple	r x	A1	D.C.	Male Adaptor	х		D.J.
Male NPT	Size	Aluminum	Price	Male NPT	Size	Aluminum	Price
	3/4" 1"	06-G75-B-AL	\$ 12.72		3/4" 1"	06-G75-F-AL	\$ 6.47
10	1 1/4"	06-G100-B-AL 06-G125-B-AL	\$ 14.08 \$ 19.22		1" 1 1/4"	06-G100-F-AL	\$ 6.75 \$ 11.12
	1 1/4	06-G125-B-AL 06-G150-B-AL	\$ 19.22 \$ 16.14	9	1 1/4"	06-G125-F-AL 06-G150-F-AL	\$ 11.12
	2"	06-G200-B-AL	\$ 16.14 \$ 16.80	0	2"	06-G150-F-AL	\$ 9.08
	2 1/2"	06-G250-B-AL	\$ 30.55		2 2 1/2"	06-G250-F-AL	\$ 9.00 \$ 21.05
W W	3"	06-G300-B-AL	\$ 27.80		3"	06-G250-F-AL	\$ 19.90
Part B	4'	06-G400-B-AL	\$ 39.13	Part F	3 4'	06-G400-F-AL	\$ 19.30
emale Coupler	· v		-				
Hose Shank	Size	Aluminum	Price	Dust Plug	Size	Aluminum	Price
1103C OHalik	3/4"	06-G75-C-AL	\$ 12.66		3/4"	06-G75-DP-AL	\$ 5.83
al moving to	1"	06-G100-C-AL	\$ 12.96		1"	06-G100-DP-AL	\$ 5.62
A The state of the	1 1/4"	06-G125-C-AL	\$ 18.30		1 1/4"	06-G125-DP-AL	\$ 6.71
	1 1/2"	06-G150-C-AL	\$ 15.55	电影 图	1 1/2"	06-G150-DP-AL	\$ 6.54
	2"	06-G200-C-AL	\$ 17.96	- To	2"	06-G200-DP-AL	\$ 7.75
	2 1/2"	06-G250-C-AL	\$ 30.40		2 1/2"	06-G250-DP-AL	\$ 11.50
	3"	06-G300-C-AL	\$ 27.71		3"	06-G300-DP-AL	\$ 13.04
Part C	4'	06-G400-C-AL	\$ 43.09	Part DP	4'	06-G400-DP-AL	\$ 20.62
emale Coupler	Х 0:	A I	Duine		0:	A I	5.
Female NPT	Size	Aluminum	Price	Dust Cap	Size	Aluminum	Price
	3/4" 1"	06-G75-D-AL	\$ 14.29 \$ 42.75		3/4" 1"	06-G75-DC-AL	\$ 12.54
300	1 1 1/4"	06-G100-D-AL 06-G125-D-AL	\$ 13.75 \$ 19.96		1 1/4"	06-G100-DC-AL 06-G125-DC-AL	\$ 12.30 \$ 16.54
200-5	1 1/4	06-G150-D-AL	\$ 15.30 \$ 15.21		1 1/4	06-G150-DC-AL	\$ 16.54 \$ 15.05
3	2"	06-G200-D-AL	\$ 17.80	A De	2"	06-G200-DC-AL	\$ 15.05 \$ 14.58
	2 1/2"	06-G-250-D-AL	\$ 17.00		2 1/2"	06-G250-DC-AL	\$ 14.38 \$ 24.38
y V	3"	06-G300-D-AL	\$ 29.55		3"	06-G300-DC-AL	\$ 27.13
Part D	4'	06-G400-D-AL	\$ 39.93	Part DC	4'	06-G400-DC-AL	\$ 34.34
	Size	Regular E	xtra Thick		Replace	ement Handles	
	1"	\$ 1.19	\$ 1.54			1, 4	
Replacement	1 1/4"	\$ 1.23	\$ 2.01		6		
Gaskets	1 1/2"	\$ 1.30	\$ 2.04				
	2" 2 1/2"	\$ 1.28 \$ 1.40	\$ 2.08 \$ 2.65	Size		Part #	Price
	3"	\$ 1.40 \$ 1.49	\$ 2.65 \$ 2.35	1 1/4" - 2 1/2"		G152HRP	\$ 5.93
	3 4"	\$ 1.49 \$ 1.94	\$ 2.33 \$ 2.99	3" - 4"	06-	G34HRP	\$ 8.84





Toll Free: 1-877-737-4690 www.strickequipment.com

SPOOL ADAPTERS, SPOOL COUPLERS, REDUCER FITTINGS

	MODEL#	PREFERRED
SPOOL COUPLER MALE COUPLER X MALE COUPLER	06-150-AA-AL 1 1/2" x 1 1/2"	\$ 38.01
	06-1520-AA-AL 1 1/2" x 2"	\$ 40.64
11	06-200-AA-AL 2" x 2"	\$ 36.85
31/0 3.044	06-2030-AA-AL 2" x 3"	\$ 57.59
	06-300-AA-AL 3" x 3"	\$ 58.28
	06-3040-AA-AL 3" x 4"	\$ 84.35
	06-400-AA-AL 4" x 4"	\$ 77.11
SPOOL COUPLER FEMALE COUPLER X	06-200-DD-AL 2" x 2"	\$ 65.74
FEMALE COUPLER	06-2030-DD-AL 2" x 3"	\$ 98.64
G DENOM G	06-300-DD-AL 3" x 3"	\$ 86.03
	06-3040-DD-AL 3" x 4"	\$ 125.63
	06-400-DD-AL 4" x 4"	\$ 114.40
REDUCER COUPLERS TO ADAPTERS	06-3020-DA-AL 3" Coupler x 2" Adapter	\$ 68.16
	06-4020-DA-AL 4" Coupler x 2" Adapter	\$ 101.65
V V	06-4030-DA-AL 4" Coupler x 3" Adapter	\$ 103.56

ALL PARTS A, B, C, D, E, & F ARE AVAILABLE IN REDUCER SIZES. CALL FOR PRICING



H6

Toll Free: 1-877-737-4690 www.strickequipment.com

TRANSPORT	EQUIPMENT	
Dual Vener Beautier: Elhaur	MODEL#	PREFERRED
3" Vapor Recovery Elbow 3" Vapor Recovery Elbow Cast Aluminum Compact, low profile design Four bolt flange pattern	26-880-465-01	\$ 841.25
Product Drop Elbow - Dual Point		
Cast Aluminum Four bolt flange pattern 4" Male Cam/Grove with Sight Glass	26-880-455-01	\$ 1,148.75
Deep Burial Application Elbow 22" Tall Product Elbow Cast Aluminum Four bolt flange pattern 4" Male Cam/Groove with Sight Glass	26-880-493-02	\$ 1,307.50
API Bottom Loading Adaptor (Short Stroke) Quick Closing 3 position handle Compatible with all API dry disconnet couplers Constructed with a standard TTMA 4" tank truck flange and mounting lugs for EBW Air Interlock Valve.	26-880-500-02	\$ 848.75
API Bottom Loading Adaptor Same Specifications as 26-880-500-02 except this unit has a 3" sight glass	26-880-500-04	\$ 940.00



Leaders in Fluid Handling Solutions Toll Free: 1-877-737-4690

H7

www.strickequipment.com

	TRANSPORT	EQUIPMENT	
	Female Gravity Drop Adaptor	MODEL#	PREFERRED
	22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze ams and stainless pins Meets API RP 1004 specifications 4" Female	26-880-330-01	\$ 291.25
	Male Gravity Drop Adaptor 22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze ams and stainless pins Meets API RP 1004 specifications 4" Cam and Groove	26-880-411-01	\$ 210.00
	Emergency Valve Victaulic Mechanically Operated 90° E-Valves High Flow Rate Fits Std 4" TTMA Sump Shear grove meets DOT 406 requirements Shear section per TTMA, RP84-92 and meets DOT 49 CFR 178.345-8	26-880-430-01	\$ 898.75
	Air Interlock Valve Three-way Air Valve 1/4" NPT connections Can be used normally open or normally closed Adjustable stem Comes with standardized TTM & API mounting holes	26-880-150-01 Other sizes and models available	\$ 163.75
E-BN D	API Dust Cap Corrosive resistant API Dust Cap shields valuable bottom loading valves from destructive outside elements.	API Dust Cap 26-880-403-01	\$ 182.50
A de la constant de l	Couples on all EBW valves and API bottom loading adaptors using a Buna-N gasket. Includes heavy-duty attachment chain	API Gasket 26-880-206-01	\$ 20.00
	Hose Tube Doors Cast Aluminum Frame & Cap Spring Steel, chrome plated hardware Nylon bushing	6" 26-784-300-03	\$ 103.75



H8

Toll Free: 1-877-737-4690 www.strickequipment.com

NOTES
PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST
POPULAR ITEMS ORDERED AND THEIR PART NUMBERS