

H1

Toll Free: 1-877-737-4690 www.strickequipment.com

| TANK TRUCK EQUIPMENT | | | | |
|--|---|--|-----------|--|
| | EBW Dashport Nozzle | MODEL# | PREFERRED | |
| | For Bulk Fuel Oil Delivery Dashport ensures easy open- ing and precise topping off Extra heavy lugs at wear | 1 1/4" 26-410-300-03 without spout | \$ 302.50 | |
| | points means longer useful nozzle life. Available in 1 1/4" or 1 1/2" Nozzles DO NOT Include Spout | 1 1/2" 26-410-401-03 without spout | \$ 320.00 | |
| Bras | s Fuel Oil Nozzle Spouts | 1 1/4" NPT x 1 1/8" 26-410-122-01 | \$ 93.75 | |
| | | 1 1/4" NPT x 1 3/8" 26-410-133-01 | \$ 87.50 | |
| | | 1 1/2" NPT x 1 5/8" 26-410-129-01 | \$ 102.50 | |
| Fuel delivery nozzle tubes fit EBW 410 & 490 nozzles and are constructed of .065 brass wall tubes and include cast brass for secure attachment to nozzles. | | 1 1/2" NPT x 1 3/8" 26-410-116-01 | \$ 93.75 | |
| Model 465 Hose Swivel Designed for ease of delivery, and features a free swivel action up to 125 psi with fluorcarbon O-ring seals that enable it to turn smoothly. Available in 1 1/4" or 1 1/2" with or without check | | 1 1/4 x 1 1/4 26-465-101-01 | \$ 160.00 | |
| | | 1 1/4 x 1 1/4 26-465-101-02 w/ check | \$ 185.00 | |
| | | 1 1/2 x 1 1/2 26-465-102-01 | \$ 165.00 | |
| | valve. | 1 1/2 x 1 1/2 26-465-102-02 w/ check | \$ 196.25 | |
| | NOZZLE CONES | 1 1/4" 14-R54 | \$ 41.53 | |
| | Available in 1 1/4" and 1 1/2" | 1 1/2" 14-R64 | \$ 42.64 | |



Toll Free: 1-877-737-4690 www.strickequipment.com

KAM STYLE DRY DISCONNECTS



Elbow Couplers with Swivel

Dry disconnect couplings are used on multi compartment petroleum, solvent and chemical product delivery trucks with an on board pumping unit. Helps reduce the hazard potential of spilled liquid during the connection/disconnection process. Available in 2" or 3" with Buna or Viton Seals.

| MODEL# | PREFERRED |
|--|-----------|
| 2" OPW w/ Buna Seals 27-1711-ES-0200 | \$ 711.45 |
| 2" OPW w/ Viton Seals 27-1712-ES-0200 | \$ 817.70 |
| 2" Dixon w/ Buna Seals 14-DBS61-200 | \$ 759.31 |
| 2" Dixon w/ Viton Seals 14-DBS62-200 | \$ 875.76 |
| 2" OPW w/ Buna Seals | \$ 588.20 |

Straight Couplers



Used at liqu SS could occu prevent spillage They are well suited for handling petroleum products, solvents agchemicals, vegetable oils, detergents and many acids and caustics. Available in 2" or 3" with Buna or Viton Seals.

| uid transfer points where product los |
|---|
| ur, they provide a reliable solution to |
| age during connection or disconnection |
| |

Adaptors





Helps to prevent liquid spillage during the connection/disconnection process. The adaptor contains a spring loaded poppet to assure fast closing and tight seal. Available in 2" or 3" with Buna or Viton Seals.

| MODEL# | PREFERRED |
|--|-------------|
| 2" OPW w/ Buna Seals 27-1711-ES-0200 | \$ 711.45 |
| 2" OPW w/ Viton Seals 27-1712-ES-0200 | \$ 817.70 |
| 2" Dixon w/ Buna Seals 14-DBS61-200 | \$ 759.31 |
| 2" Dixon w/ Viton Seals 14-DBS62-200 | \$ 875.76 |
| 2" OPW w/ Buna Seals 27-1711-DL-AL20 | \$ 588.20 |
| 2" OPW w/ Viton Seals 27-1712-DL-AL20 | \$ 656.20 |
| 3" OPW w/ Buna Seals 27-1711-DL-AL30 | \$ 1,163.65 |
| 3" OPW w/ Viton Seals 27-1712-DL-AL30 | \$ 1,295.40 |
| 2" Dixon w/ Buna Seals 14-DBC61-200 | \$ 626.26 |
| 2" Dixon w/ Viton Seals 14-DBC62-200 | \$ 701.57 |
| 3" Dixon w/ Buna Seals 14-DBC61-300 | \$ 1,304.41 |
| 3" Dixon w/ Viton Seals 14-DBC62-300 | \$ 1,455.43 |
| 2" OPW w/ Buna Seals 27-1611-AN-AL20 | \$ 191.25 |
| 2" OPW w/ Viton Seals 27-1612-AN-AL20 | \$ 196.35 |
| 3" OPW w/ Buna Seals 27-1611-AN-AL30 | \$ 328.95 |
| 3" OPW w/ Viton Seals 27-1612-AN-AL30 | \$ 341.70 |
| 2" Dixon w/ Buna Seals 14-DBA 11-200 2" Dixon w/ Viton Seals | \$ 186.47 |
| 14-DBA 12-200 3" Dixon w/ Buna Seals | \$ 198.90 |
| 14-DBA 11-300 | \$ 357.49 |
| 3" Dixon w/ Viton Seals 14-DBA 12-300 | \$ 368.95 |





Toll Free: 1-877-737-4690 www.strickequipment.com

BAYONET STYLE DRY DISCONNECTS MODEL# **Dry Disconnects with 90° Swivel Coupler PREFERRED** 2" w/ Buna Seal \$ 683.52 14-BS61-200 2" w/ Viton Seal \$ 737.21 14-BS62-200 3" w/ Buna Seal \$ 1,168.10 14-BS61-300 Bayonet style aluminum dry disconnect with 90° swivel coupler X Female NPT. Avail-3" w/ Viton Seal \$ 1,261.28 able in 2" or 3" with Buna or Viton seals. 14-BS62-300 2" w/ Buna Seal **Dry Disconnect Straight Coupler** \$ 543.05 14-BC61-200 2" w/ Viton Seal \$ 591.94 14-BC62-200 2" w/ Buna Seal w/ \$ 683.52 Swivel 14-BSS61-200 2" w/ Viton Seal w/ Swivel \$ 737.21 14-BSS62-200 3" w/ Buna Seal w/ Swivel \$ 1,103.42 14-BSS61-300 Bauonet Style Aluminum Dry Disconnect Straight Coupler. Female X NPT, available 3" w/ Viton Seal w/ in 2" or 3" with Buna or Viton seals. Swivel \$ 1,198.14 14-BSS62-300 **Bayonet Style Adaptors** 2" w/ Buna Seal \$ 170.49 14-BA31-200 Bayonet style adaptor by 2" w/ Viton Seal Female NPT. Designed for \$ 170.49 14-BA32-200 use in the fuel and lube oil service industry. Used with 3" w/ Buna Seal the EMCO Wheaton dry \$ 378.85 14-BA61-300 break commonly found in these services. 3" w/ Viton Seal \$ 378.85

14-BA62-300





Toll Free: 1-877-737-4690 www.strickequipment.com

| QUICK | COUPLERS |
|-------|----------|
| | |

| | | QU | JICK C | JUPLER | 3 | | |
|--|----------|--------------------|------------|----------------------------|---------|---------------|----------|
| Male Adapter x male NPT | Size | Aluminum | Price | Male Adapter Hose Shank | , Size | Aluminum | Price |
| | 3/4" | 06-G75-A-AL | \$ 6.18 | THEFT | 3/4" | 06-G75-E-AL | \$ 5.46 |
| O I Wanni | 1" | 06-G100-A-AL | \$ 6.36 | 529 | 1" | 06-G100-E-AL | \$ 6.31 |
| TARREST TO SERVICE STATE OF THE PARTY OF THE | 1 1/4" | 06-G125-A-AL | \$ 9.64 | | 1 1/4" | 06-G125-E-AL | \$ 9.34 |
| DIXEN | 1 1/2" | 06-G150-A-AL | \$ 7.01 | | 1 1/2" | 06-G150-E-AL | \$ 8.05 |
| The same of | 2" | 06-G200-A-AL | \$ 7.49 | - 11 | 2" | 06-G200-E-AL | \$ 10.30 |
| | 2 1/2" | 06-G250-A-AL | \$ 17.91 | | 2 1/2" | 06-G250-E-AL | \$ 19.72 |
| Don't A | 3" | 06-G300-A-AL | \$ 15.15 | | 3" | 06-G300-E-AL | \$ 18.57 |
| Part A | 4' | 06-G400-A-AL | \$ 23.84 | Part E | 4' | 06-G400-E-AL | \$ 30.64 |
| Female Couple | rx | | | Male Adaptor | . х | | |
| Male NPT | Size | Aluminum | Price | Male NPT | Size | Aluminum | Price |
| | 3/4" | 06-G75-B-AL | \$ 13.21 | | 3/4" | 06-G75-F-AL | \$ 6.72 |
| 16 1 | 1" | 06-G100-B-AL | \$ 14.63 | | 1" | 06-G100-F-AL | \$ 7.01 |
| | 1 1/4" | 06-G125-B-AL | \$ 19.94 | | 1 1/4" | 06-G125-F-AL | \$ 11.56 |
| | 1 1/2" | 06-G150-B-AL | \$ 16.74 | | 1 1/2" | 06-G150-F-AL | \$ 8.44 |
| A | 2" | 06-G200-B-AL | \$ 17.45 | | 2" | 06-G200-F-AL | \$ 9.44 |
| ii ii | 2 1/2" | 06-G250-B-AL | \$ 31.71 | | 2 1/2" | 06-G250-F-AL | \$ 21.85 |
| Dort D | 3" | 06-G300-B-AL | \$ 28.86 | | 3" | 06-G300-F-AL | \$ 20.68 |
| Part B | 4' | 06-G400-B-AL | \$ 40.63 | Part F | 4' | 06-G400-F-AL | \$ 30.25 |
| emale Coupler | | | | Dust Plug | | | |
| Hose Shank | Size | Aluminum | Price | Dustriug | Size | Aluminum | Price |
| of the land | 3/4" | 06-G75-C-AL | \$ 13.15 | | 3/4" | 06-G75-DP-AL | \$ 6.05 |
| e dixon e | 1" | 06-G100-C-AL | \$ 13.45 | | 1" | 06-G100-DP-AL | \$ 5.85 |
| | 1 1/4" | 06-G125-C-AL | \$ 19.00 | | 1 1/4" | 06-G125-DP-AL | \$ 6.96 |
| | 1 1/2" | 06-G150-C-AL | \$ 16.15 | | 1 1/2" | 06-G150-DP-AL | \$ 6.79 |
| | 2" | 06-G200-C-AL | \$ 18.65 | CT 10 | 2" | 06-G200-DP-AL | \$ 8.05 |
| | 2 1/2" | 06-G250-C-AL | \$ 31.54 | | 2 1/2" | 06-G250-DP-AL | \$ 11.95 |
| | 3" | 06-G300-C-AL | \$ 28.79 | | 3" | 06-G300-DP-AL | \$ 13.54 |
| Part C | 4' | 06-G400-C-AL | \$ 44.73 | Part DP | 4' | 06-G400-DP-AL | \$ 21.42 |
| emale Coupler | Х 0: | A1 | D.: | | 0: | A1 | |
| Female NPT | Size | Aluminum | Price | Dust Cap | Size | Aluminum | Price |
| | 3/4" | 06-G75-D-AL | \$ 14.85 | · . | 3/4" | 06-G75-DC-AL | \$ 13.02 |
| 11 24 1 | 1" | 06-G100-D-AL | \$ 14.28 | | 1" | 06-G100-DC-AL | \$ 12.77 |
| 500-2 D. X.OK | 1 1/4" | 06-G125-D-AL | \$ 20.76 | | 1 1/4" | 06-G125-DC-AL | \$ 17.17 |
| NSN | 1 1/2" | 06-G150-D-AL | \$ 15.82 | | 1 1/2" | 06-G150-DC-AL | \$ 15.61 |
| and an | 2" | 06-G200-D-AL | \$ 18.48 | | 2" | 06-G200-DC-AL | \$ 15.15 |
| V | 2 1/2" | 06-G-250-D-AL | \$ 32.28 | | 2 1/2" | 06-G250-DC-AL | \$ 25.31 |
| Dowl D | 3" | 06-G300-D-AL | \$ 30.69 | | 3" | 06-G300-DC-AL | \$ 28.16 |
| Part D | 4' | 06-G400-D-AL | \$ 41.46 | Part DC | 4' | 06-G400-DC-AL | \$ 35.65 |
| | Size | Regular E | xtra Thick | | Replace | ement Handles | |
| Danlage was 4 | 1" | \$ 1.17 | \$ 1.51 | | | 0.00 | |
| Replacement | 1 1/4" | \$ 1.97 | \$ 1.97 | 1 | | | |
| Gaskets | 1 1/2" | \$ 1.28 | \$ 1.97 | | | | |
| | 2" | \$ 1.26 | \$ 2.04 | Size | 1 | Part # | Price |
| | 2 1/2" | \$ 1.38 \$ 4.46 | \$ 2.60 | 1 1/4" - 2 1/2' | | G152HRP | \$ 6.16 |
| | 3" 4" | \$ 1.46 \$ 1.00 | \$ 2.31 | 3" - 4" | | G34HRP | \$ 9.18 |
| | 4 | \$ 1.90 | \$ 2.94 | | | | |





Toll Free: 1-877-737-4690 www.strickequipment.com

SPOOL ADAPTERS, SPOOL COUPLERS, REDUCER FITTINGS

| | MODEL# | PREFERRED |
|--------------------------------|--|-----------|
| SPOOL COUPLER MALE COUPLER X | 06-150-AA-AL 1 1/2" x 1 1/2" | \$ 33.95 |
| MALE COUPLER | 06-1520-AA-AL 1 1/2" x 2" | \$ 39.93 |
| 11-11-11 | 06-200-AA-AL 2" x 2" | \$ 36.21 |
| | 06-2030-AA-AL 2" x 3" | \$ 56.59 |
| 3120, 3048 | 06-300-AA-AL 3" x 3" | \$ 57.27 |
| | 06-3040-AA-AL 3" x 4" | \$ 82.89 |
| | 06-400-AA-AL 4" x 4" | \$ 75.77 |
| SPOOL COUPLER FEMALE COUPLER X | 06-200-DD-AL 2" x 2" | \$ 62.71 |
| FEMALE COUPLER | 06-2030-DD-AL 2" x 3" | \$ 96.93 |
| CO DIMINU CO | 06-300-DD-AL 3" x 3" | \$ 84.54 |
| | 06-3040-DD-AL 3" x 4" | \$ 119.85 |
| | 06-400-DD-AL 4" x 4" | \$ 112.42 |
| REDUCER COUPLERS TO ADAPTERS | 06-3020-DA-AL 3" Coupler x 2" Adapter | \$ 66.98 |
| | 06-4020-DA-AL 4" Coupler x 2" Adapter | \$ 97.94 |
| | 06-4030-DA-AL 4" Coupler x 3" Adapter | \$ 99.77 |

ALL PARTS A, B, C, D, E, & F ARE AVAILABLE IN REDUCER SIZES. CALL FOR PRICING



H6

Toll Free: 1-877-737-4690 www.strickequipment.com

| TRANSPORT EQUIPMENT | | | |
|---------------------|--|---------------|-------------|
| | Dual Vener Beautier: Elhaur | MODEL# | PREFERRED |
| | 3" Vapor Recovery Elbow 3" Vapor Recovery Elbow Cast Aluminum Compact, low profile design Four bolt flange pattern | 26-880-465-01 | \$ 841.25 |
| | Product Drop Elbow - Dual Point | | |
| | Cast Aluminum Four bolt flange pattern 4" Male Cam/Grove with Sight Glass | 26-880-455-01 | \$ 1,148.75 |
| | Deep Burial Application Elbow 22" Tall Product Elbow Cast Aluminum Four bolt flange pattern 4" Male Cam/Groove with Sight Glass | 26-880-493-02 | \$ 1,307.50 |
| | API Bottom Loading Adaptor (Short Stroke) Quick Closing 3 position handle Compatible with all API dry disconnet couplers Constructed with a standard TTMA 4" tank truck flange and mounting lugs for EBW Air Interlock Valve. | 26-880-500-02 | \$ 848.75 |
| | API Bottom Loading Adaptor Same Specifications as 26-880-500-02 except this unit has a 3" sight glass | 26-880-500-04 | \$ 940.00 |



Leaders in Fluid Handling Solutions Toll Free: 1-877-737-4690

H7

www.strickequipment.com

| | TRANSPORT | EQUIPMENT | |
|--|--|--|------------------|
| | Female Gravity Drop Adaptor | MODEL# | PREFERRED |
| | 22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze ams and stainless pins Meets API RP 1004 specifications 4" Female | 26-880-330-01 | \$ 291.25 |
| | Male Gravity Drop Adaptor 22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze ams and stainless pins Meets API RP 1004 specifications 4" Cam and Groove | 26-880-411-01 | \$ 210.00 |
| | Emergency Valve Victaulic Mechanically Operated 90° E-Valves High Flow Rate Fits Std 4" TTMA Sump Shear grove meets DOT 406 requirements Shear section per TTMA, RP84-92 and meets DOT 49 CFR 178.345-8 | 26-880-430-01 | \$ 898.75 |
| | Air Interlock Valve Three-way Air Valve 1/4" NPT connections Can be used normally open or normally closed Adjustable stem Comes with standardized TTM & API mounting holes | 26-880-150-01 Other sizes and models available | \$ 163.75 |
| E-BN D | API Dust Cap Corrosive resistant API Dust Cap shields valuable bottom loading valves from destructive outside elements. | API Dust Cap 26-880-403-01 | \$ 182.50 |
| A de la constant de l | Couples on all EBW valves and API bottom loading adaptors using a Buna-N gasket. Includes heavy-duty attachment chain | API Gasket 26-880-206-01 | \$ 20.00 |
| | Hose Tube Doors Cast Aluminum Frame & Cap Spring Steel, chrome plated hardware Nylon bushing | 6" 26-784-300-03 | \$ 103.75 |



H8

Toll Free: 1-877-737-4690 www.strickequipment.com

| NOTES |
|---|
| PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST |
| POPULAR ITEMS ORDERED AND THEIR PART NUMBERS |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |