



Leaders in Fluid Handling Solutions

Toll Free: 1-877-737-4690

www.strickequipment.com

D 1

## PREPAY SERVICE STATION NOZZLES WITH HOLD OPEN CLIP



The Prepay Service Station cannot be opened until the pumping system is pressurized, and closes automatically when the pressure is removed. This means that the prepay nozzle is closed when placed back in the dispenser storage position to prevent accidental spillage of gasoline when the dispenser is authorized.



**NEW OPW  
11BP & 11B**



**NEW HUSKY XS with  
WAFFLE/SPLASH  
GUARD**

MFG.	MODEL #	COLOR	SPOUT	PREFERRED
OPW	28-11BP-0100	GREEN	Unleaded	\$ 98.95
OPW	28-11BP-0400	BLACK	Unleaded	
OPW	28-11BP-0500	BLUE	Unleaded	
OPW	28-11BP-0300	RED	Unleaded	
OPW	28-11B-0100	GREEN	Diesel	
OPW	28-11B-0400	BLACK	Diesel	
HUSKY	11-159561-03	GREEN	Diesel	
HUSKY	11-159559-03	GREEN	Unleaded	\$ 95.86
HUSKY	11-159559-04	BLACK	Unleaded	
	<b>OPW Splatter Guards</b> Stocked in Blue, Black, Green, Red, and Yellow Other colors available		28A-8	\$ 7.56
	<b>OPW High Speed Splatter Guards</b> Stocked in Black, Green, and Yellow		28A-8H	\$ 7.56

## NON-PREPAY SERVICE STATION NOZZLES W/ HOLD OPEN CLIP

The 11A series non-prepay automatic nozzle Non-UL has a hold open clip. Small, trim, lightweight, easy and convenient to use, the 11A is a rugged performer that offers long life and reliable service.



**Note:** The 11A nozzle with hold open clip is **NOT** UL 2586 listed, and should only be used on Commercial and Agricultural applications where UL 2586 is not required.

**Note:** The 11A nozzle without hold open clip is UL 2586 listed and is available by special order.

MFG	MODEL #	COLOR	SPOUT	PREFERRED
OPW	28-11AP-0100-NUL	GREEN	Unleaded	\$ 83.47
OPW	28-11AP-0400-NUL	BLACK	Unleaded	
OPW	28-11AP-0500-NUL	BLUE	Unleaded	
OPW	28-11AP-0300-NUL	RED	Unleaded	
OPW	28-11A-0100-NUL	GREEN	Diesel	
OPW	28-11A-0400-NUL	BLACK	Diesel	

## 1290 Style Automatic Fuel Oil Nozzle



1 1/2" Threads

MFG	MODEL #	DESCRIPTION	PREFERRED
OPW	28-1290-0050	NEW OPW	\$ 501.04
CATLOW	05-CV90-001	NEW CATLOW	\$ 462.20

## New OPW 7HB Prepay High Volume Nozzles

The 7HB is a high-flow refueling nozzle with an exclusive “satellite” feature that helps prevent blind side spills that can result in fuel loss and clean-up expense. The OPW 7HB cannot be opened until the pumping system is pressurized and closes automatically when the pressure is turned off.



**NEW OPW 7HB**

**HUSKY**

**Note:** The 7HB is UL 2586 rated and has a hold open clip.

MFG	MODEL #	DESCRIPTION	COLOR	PREFERRED
OPW	28-7HB-5100	NO ANCHOR RING	GREEN	\$ 183.34
OPW	28-7HB-5400	NO ANCHOR RING	BLACK	
OPW	28-7HB-0100	WITH ANCHOR RING	GREEN	
OPW	28-7HB-0400	WITH ANCHOR RING	BLACK	
HUSKY	11-177610-03	NO ANCHOR RING	GREEN	\$ 200.35

## NON-PREPAY HIGH VOLUME NOZZLES

The 7H series nozzle with hold open clip is **NOT** UL 2586, and should only be used on Commercial or Agricultural applications where UL 2586 is Not required. The 7H is available with UL 2586 without hold open clip by special order.

**NEW  
OPW 7H**



**NEW HUSKY  
1+VIII  
173310N-03**

MFG	MODEL #	DESCRIPTION	COLOR	PREFERRED
OPW	28-7H-5100-NUL	NO ANCHOR RING	GREEN	\$ 159.27
OPW	28-7H-5400-NUL	NO ANCHOR RING	BLACK	
OPW	28-7H-0100-NUL	WITH ANCHOR RING	GREEN	
OPW	28-7H-0400-NUL	WITH ANCHOR RING	BLACK	
HUSKY	11-173310N-03	NO ANCHOR RING	GREEN	\$ 165.57

## AUTOMATIC NOZZLES

### 1 GS AUTOMATIC FARM NOZZLE WITH HOOK AND HOLD OPEN CLIP

\* This nozzle with hold open clip is NOT UL 2586 rated.



**1GS**

MODEL #	COLOR	PREFERRED
11-045704N-04 1 GS UNLEADED	BLACK	\$ 109.91
11-045703N-03 1 GS LEADED	GREEN	\$ 109.91
11-045710N-03 1 GS DIESEL HI FLOW	GREEN	\$ 109.91

### HUSKY NEW 1-A AUTOMATIC STATION NOZZLE WITH HOLD OPEN CLIP AND 1" INLET THREADS

\* This nozzle with hold open clip is NOT UL 2586 rated.



**1A**

MODEL #	COLOR	PREFERRED
11-209804N-04 1-A UNLEADED	BLACK	\$ 109.91
11-209803N-03 1-A LEADED	GREEN	\$ 109.91
11-0385 1" X 3/4" ALUM BUSHING		\$ 5.96

#### Fill-Rite 3/4" Automatic Nozzles



UL 2586 rated

3/4" Automatic Nozzle with Red Cover and Nozzle Hook, Unleaded spout

3/4" Automatic Nozzle with Green Cover and Nozzle Hook, Leaded (Diesel) spout.

MODEL #	COLOR	PREFERRED
01A-SDN075RAN Unleaded	RED	\$ 64.99 * MAP
01A-SDN075GAN Leaded, Diesel	GREEN	\$ 59.99 * MAP
01A-SDN100GAN Diesel Spout	RED	\$ 89.99 * MAP
01A-N100DAU12G Diesel Spout	GREEN	\$ 141.26
01A-N100DAU13 Ultra High Flow	RED	\$ 197.37
01A-N100DAU13G Ultra High Flow	GREEN	\$ 197.37





#### Fill-Rite 1" Automatic Nozzles

1" Inlet-Automatic Nozzle with Cover, Diesel Spout and Hook

UL 2586 rated



## RECONNECTABLE BREAKAWAYS

OPW Reconnectable Breakaway		MODEL #	PREFERRED		
 <p>The OPW 68EZR Reconnectable Breakaway is designed for retail fueling operations to deliver an increased level of security in the event of a drive off. Upon separation the dual valves seat automatically, stopping the flow of fuel and limiting fuel spillage while protecting the dispensing equipment.</p>		<b>28-68EZR-7575</b>			
	<b>3/4"</b>		<b>\$ 105.65</b>		
		<b>28-68EZR-1010</b>			
	<b>1"</b>		<b>\$ 152.68</b>		
<b>CATLOW CAMTWINST MAGNETIC BREAKAWAY</b>					
 <p>The Cam Twist is Catlow's revolutionary magnetic inspectable breakaway. With the ability to separate and inspect. You have assurance that your breakaway will perform when you need it to most, and thus eliminating the need for a "Remove By" date.</p>	<b>05-CTM75</b>				
	<b>3/4"</b>		<b>\$ 100.36</b>		
		<b>05-CTM100</b>			
	<b>1"</b>		<b>\$ 146.22</b>		
<b>HUSKY MAGBREAK</b>					
 <p>NEW Husky Magbreak gives you assurance of proper reconnection using a simple "twist to lock" feature. Absorbs line shock in excess of 450 psi at 17 GPM. High impact resistant polymer housing</p>	<b>11-8330</b>				
	<b>3/4"</b>		<b>\$ 118.69</b>		
		<b>11-8331</b>			
	<b>1"</b>		<b>\$ 178.96</b>		
<b>BREAKAWAY HOSES</b>	<b>MALE X MALE</b>	<b>PREFERRED</b>	<b>MALE X SWIVEL</b>	<b>PREFERRED</b>	
	 <p>Available in 3 Sizes Use between nozzle &amp; breakaway or between dispenser outlet and breakaway.</p>	<b>11-CP10WB.75</b>			
		<b>5/8" X 9"</b>	<b>\$ 24.94</b>		
		<b>11-CP12WB.75</b>	<b>\$ 28.79</b>	<b>11-CP12WB.75SV</b>	<b>\$ 51.63</b>
<b>3/4" X 9"</b>			<b>3/4" X 9" M X SWIVEL</b>		
	<b>11-CP16WB.75</b>	<b>\$ 39.16</b>	<b>11-CP16WB.75SV</b>	<b>\$ 75.86</b>	
	<b>1" X 9"</b>		<b>1" X 9" M X SWIVEL</b>		

## SINGLE USE BREAKAWAYS

		MODEL #	PREFERRED
 <p><b>OPW</b> Single Use Breakaway</p> <p>Available in 3/4" NPT OR 1" NPT Inlet/Outlet</p>		<b>28-66V-0300</b> 3/4"	\$ 49.76
		<b>28-66V-1300</b> 1"	\$ 114.22
 <p><b>Husky</b> Single Use Breakaways</p> <p>Available in 3/4" NPT OR 1" NPT Inlet/Outlet</p>		<b>11-2273</b> 3/4"	\$ 56.38
		<b>11-5812</b> 1"	\$ 130.11
 <p><b>Catlow Single Use Breakaway</b></p> <p>The single use breakaway is a rugged heavy duty in-line breakaway designed to be installed between the fuel dispenser and the nozzle. Designed for truck-stops and high volume stations that allows for high capacity fueling with little pressure drop.</p> 		<b>05-C86NT</b> 3/4"	\$ 41.73
		<b>05-C100N</b> 1"	\$ 101.54
SWIVEL/BREAKAWAYS COMBINATION			
 <p><b>OPW</b> Swivel/Breakaway Combo</p> <p>Installed at nozzle, replaces swivel, break hose &amp; breakaway.</p>		<b>28-66SB-7575</b> 3/4"	\$ 154.04
<p><b>Catlow</b> Swivel/Breakaway Combo</p> 		<b>05-ISBA-75N</b> 3/4"	\$ 134.18
		<b>05-ISBA-100N</b> 1"	\$ 184.24

<b>SWIVELS</b>		
 <p><b>Catlow Twister Swivel</b></p> <p>The Twister Swivel raises the level of swivel flexibility with two (2) high flow 360° rotating swivel ends.</p>	<b>MODEL #</b>	<b>PREFERRED</b>
	<b>05-C720-3/4"</b>	<b>\$ 36.87</b>
	<b>05-C720-1"</b>	<b>\$ 68.13</b>
 <p><b>OPW 45 Swivel</b></p> <p>Available in 3/4" NPT OR 1" NPT Inlet/Outlet</p>	<b>28-45-5060</b> 3/4"M x 3/4"F	<b>\$ 46.15</b>
	<b>28-45-5075</b> 1"M x 1"F	<b>\$ 88.81</b>
 <p><b>OPW Value Swivel</b></p> <p>Available in 3/4" NPT OR 1" NPT Inlet/Outlet</p>	<b>28-241-TPS-0241</b> 3/4"	<b>\$ 36.92</b>
	<b>28-241-TPS-1000</b> 1"	<b>\$ 70.17</b>
 <p><b>Husky Multi-Plane Swivel</b></p> <p>3/4" x 3/4" NPT OR 1" x 1" NPT</p>	<b>11-0350</b> 3/4"	<b>\$ 43.33</b>
	<b>11-0087</b> 1"	<b>\$ 75.18</b>
 <p><b>Husky Heavy Duty High Flow Swivel</b></p> <p>1" NPT HD</p>	<b>11-4860</b> 1"	<b>\$ 117.47</b>
 <p><b>Catlow Straight Hose Swivel</b></p> <p>Available in 3/4", 1" and 1 1/2" NPT Inlet/Outlet</p>	<b>05-ILS-N7575</b> 3/4"	<b>\$ 35.07</b>
	<b>05-ILS-N100100</b> 1"	<b>\$ 61.61</b>
 <p><b>OPW 36S Hose Swivel</b></p> <p>3/4" x 3/4" NPT OR 1" x 1" NPT</p>	<b>28-36S-5080</b> 3/4"M x 3/4"F	<b>\$ 35.28</b>
	<b>28-36S-5090</b> 1"M x 1"F	<b>\$ 65.28</b>



## SERVICE STATION HARDWALL HOSE

Wirebraided hoses: Flexibility of a softwall hose, Durability of a hardwall hose.



Service Station hoses are individually boxed, 10 to a case. We will sell any quantity, no minimum required.

### MALE X MALE

### MALE X SWIVEL

SIZE	MODEL #	PREFERRED	MODEL #	PREFERRED
5/8" X 9'	11-CP10WB09	\$ 66.02	11-CP10WB09SV	\$ 84.99
5/8" X 10'	11-CP10WB10	\$ 70.94	11-CP10WB10SV	\$ 92.01
3/4" X 9'	11-CP12WB09	\$ 76.57	11-CP12WB09SV	\$ 99.58
3/4" X 10'	11-CP12WB10	\$ 82.34	11-CP12WB10SV	\$ 105.16
3/4" X 12'	11-CP12WB12	\$ 93.41	11-CP12WB12SV	\$ 116.24
3/4" X 14'	11-CP12WB14	\$ 104.47	11-CP12WB14SV	\$ 127.47
3/4" X 17'	11-CP12WB17	\$ 121.34	11-CP12WB17SV	\$ 144.16
3/4" X 20'	11-CP12WB20	\$ 138.19	11-CP12WB20SV	\$ 161.01
1" X 10'	11-CP16WB10	\$ 99.91	11-CP16WB10SV	\$ 136.79
1" X 12'	11-CP16WB12	\$ 113.08	11-CP16WB12SV	\$ 149.78
1" X 14'	11-CP16WB14	\$ 126.24	11-CP16WB14SV	\$ 163.14
1" X 17'	11-CP16WB17	\$ 146.09	11-CP16WB17SV	\$ 170.08
1" X 20'	11-CP16WB20	\$ 165.93	11-CP16WB20SV	\$ 202.63

## SOFTWALL HOSE EXTRA LONG LENGTHS

MODEL#	SIZE	PREFERRED
11-CP12SW25	3/4" X 25' Softwall Hose	\$ 121.15
11-CP12SW50	3/4" X 50' Softwall Hose	\$ 215.97
11-CP12SW75	3/4" X 75' Softwall Hose	\$ 310.78
11-CP16SW25	1" X 25' Softwall Hose	\$ 189.82
11-CP16SW50	1" X 50' Softwall Hose	\$ 344.51
11-CP16SW75	1" X 75' Softwall Hose	\$ 499.36





*Leaders in Fluid Handling Solutions*

*Toll Free: 1-877-737-4690*

*[www.strickequipment.com](http://www.strickequipment.com)*

**D 9**

**NOTES**

**PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST POPULAR ITEMS ORDERED AND THEIR PART NUMBERS**

A large, empty rectangular box with a black border, intended for handwritten notes.