

**H1** 

Toll Free: 1-877-737-4690 www.strickequipment.com

| TANK TRUCK   | EQUIPMENT                                  |           |
|--|--|-----------|
| EBW Dashport Nozzle  | MODEL#                                     | PREFERRED |
| For Bulk Fuel Oil Delivery Dashport ensures easy opening and precise topping off Extra heavy lugs at wear  | 1 1/4" 26-410-300-03 without spout         | \$ 307.34 |
| points means longer useful nozzle life. Available in 1 1/4" or 1 1/2" Nozzles DO NOT Include Spout   | 1 1/2"<br>26-410-401-03<br>without spout   | \$ 325.12 |
| Brass Fuel Oil Nozzle Spouts   | 1 1/4" NPT x 1 1/8"<br>26-410-122-01       | \$ 95.25  |
|  | 1 1/4" NPT x 1 3/8"<br>26-410-133-01       | \$ 88.90  |
|  | 1 1/2" NPT x 1 5/8"<br>26-410-129-01       | \$ 104.14 |
| Fuel delivery nozzle tubes fit EBW 410 & 490 nozzles and are constructed of .065 brass wall tubes and include cast brass for secure attachment to nozzles. | 1 1/2" NPT x 1 3/8" 26-410-116-01          | \$ 95.25  |
| Model 465 Hose Swivel  | 1 1/4 x 1 1/4<br>26-465-101-01             | \$ 162.56 |
| Designed for ease of delivery, and features a free swivel action up to 125 psi with fluorcarbon O-ring seals that  | 1 1/4 x 1 1/4<br>26-465-101-02<br>w/ check | \$ 187.96 |
| enable it to turn smoothly. Available in 1 1/4" or 1 1/2" with or without check  | 1 1/2 x 1 1/2<br>26-465-102-01             | \$ 167.64 |
| valve.   | 1 1/2 x 1 1/2<br>26-465-102-02<br>w/ check | \$ 199.39 |
| NOZZLE CONES   | 1 1/4"<br>14-R54                           | \$ 43.28  |
| Available in 1 1/4" and 1 1/2"   | 1 1/2"<br>14-R64                           | \$ 44.43  |



Toll Free: 1-877-737-4690 www.strickequipment.com

## KAM STYLE DRY DISCONNECTS



#### **Elbow Couplers with Swivel**

Dry disconnect couplings are used on multi compartment petroleum, solvent and chemical product delivery trucks with an on board pumping unit. Helps reduce the hazard potential of spilled liquid during the connection/disconnection process. Available in 2" or 3" with Buna or Viton Seals.

| MODEL#                                   | PREFERRED |
|--|-----------|
| 2" OPW w/ Buna Seals<br>27-1711-ES-0200  | \$ 753.30 |
| 2" OPW w/ Viton Seals<br>27-1712-ES-0200 | \$ 865.80 |
| 2" Dixon w/ Buna Seals<br>14-DBS61-200   | \$ 820.73 |
| 2" Dixon w/ Viton Seals<br>14-DBS62-200  | \$ 946.59 |
| 2" OPW w/ Buna Seals                     | \$ 622.80 |

#### **Straight Couplers**



Used at liquid transfer points where product loss could occur prevent spillage They are well ucts, solvents gents and many acids and caustics. Available in 2" or 3" with Buna or Viton Seals.

| r, they provide a reliable solution to |
|--|
| ge during connection or disconnection. |
| Il suited for handling petroleum prod- |
| s agchemicals, vegetable oils, deter-  |
|  |

#### **Adaptors**





Helps to prevent liquid spillage during the connection/disconnection process. The adaptor contains a spring loaded poppet to assure fast closing and tight seal. Available in 2" or 3" with Buna or Viton Seals.

| MODEL#                                       | PREFERRED   |
|--|-------------|
| 2" OPW w/ Buna Seals<br>27-1711-ES-0200      | \$ 753.30   |
| 2" OPW w/ Viton Seals <b>27-1712-ES-0200</b> | \$ 865.80   |
| 2" Dixon w/ Buna Seals<br>14-DBS61-200       | \$ 820.73   |
| 2" Dixon w/ Viton Seals<br>14-DBS62-200      | \$ 946.59   |
| 2" OPW w/ Buna Seals<br>27-1711-DL-AL20      | \$ 622.80   |
| 2" OPW w/ Viton Seals<br>27-1712-DL-AL20     | \$ 694.80   |
| 3" OPW w/ Buna Seals<br>27-1711-DL-AL30      | \$ 1,232.10 |
| 3" OPW w/ Viton Seals<br>27-1712-DL-AL30     | \$ 1,371.60 |
| 2" Dixon w/ Buna Seals<br>14-DBC61-200       | \$ 676.92   |
| 2" Dixon w/ Viton Seals<br>14-DBC62-200      | \$ 758.31   |
| 3" Dixon w/ Buna Seals<br>14-DBC61-300       | \$ 1,409.92 |
| 3" Dixon w/ Viton Seals<br>14-DBC62-300      | \$ 1,573.72 |
| 2" OPW w/ Buna Seals<br>27-1611-AN-AL20      | \$ 202.50   |
| 2" OPW w/ Viton Seals<br>27-1612-AN-AL20     | \$ 207.90   |
| 3" OPW w/ Buna Seals<br>27-1611-AN-AL30      | \$ 348.30   |
| 3" OPW w/ Viton Seals<br>27-1612-AN-AL30     | \$ 361.80   |
| 2" Dixon w/ Buna Seals<br>14-DBA 11-200      | \$ 201.57   |
| 2" Dixon w/ Viton Seals<br>14-DBA 12-200     | \$ 214.99   |
| 3" Dixon w/ Buna Seals<br>14-DBA 11-300      | \$ 386.42   |
| 3" Dixon w/ Viton Seals<br>14-DBA 12-300     | \$ 398.79   |





Toll Free: 1-877-737-4690 www.strickequipment.com

#### **BAYONET STYLE DRY DISCONNECTS** MODEL# **Dry Disconnects with 90° Swivel Coupler PREFERRED** 2" w/ Buna Seal \$ 738.80 14-BS61-200 2" w/ Viton Seal \$ 796.83 14-BS62-200 3" w/ Buna Seal \$ 1,262.59 14-BS61-300 Bayonet style aluminum dry disconnect with 90° swivel coupler X Female NPT. Avail-3" w/ Viton Seal \$ 1,363.30 able in 2" or 3" with Buna or Viton seals. 14-BS62-300 2" w/ Buna Seal **Dry Disconnect Straight Coupler** \$ 586.97 14-BC61-200 2" w/ Viton Seal \$ 639.82 14-BC62-200 2" w/ Buna Seal w/ \$ 738.80 Swivel 14-BSS61-200 2" w/ Viton Seal w/ Swivel \$ 796.83 14-BSS62-200 3" w/ Buna Seal w/ Swivel \$ 1,192.66 14-BSS61-300 Bauonet Style Aluminum Dry Disconnect Straight Coupler. Female X NPT, available 3" w/ Viton Seal w/ in 2" or 3" with Buna or Viton seals. Swivel \$ 1,295.05 14-BSS62-300 **Bayonet Style Adaptors** 2" w/ Buna Seal \$ 184.28 14-BA31-200 Bayonet style adaptor by 2" w/ Viton Seal Female NPT. Designed for \$ 184.28 14-BA32-200 use in the fuel and lube oil service industry. Used with 3" w/ Buna Seal the EMCO Wheaton dry \$ 409.48 14-BA61-300 break commonly found in these services. 3" w/ Viton Seal \$ 409.48

14-BA62-300





3"

4"

\$ 1.51

\$ 1.96

## Leaders in Fluid Handling Solutions

Toll Free: 1-877-737-4690 www.strickequipment.com

|  |                       | QL                           | JICK C               | OUPLER          | S          |                                |                      |
|--|-----------------------|------------------------------|----------------------|-----------------|------------|--------------------------------|----------------------|
| Male Adapter x   | Fe-<br>Size           | Aluminum                     | Price                | Male Adapter    | x<br>Size  | Aluminum                       | Price                |
| male NPT   | 3/4"                  | 06-G75-A-AL                  | \$ 6.02              | Hose Shank      | 3/4"       | 06-G75-E-AL                    | \$ 5.30              |
|  | 3/ <del>4</del><br>1" | 06-G100-A-AL                 | \$ 6.02<br>\$ 6.20   |                 | 1"         | 06-G100-E-AL                   | \$ 6.14              |
| [008-A]  | 1 1/4"                | 06-G125-A-AL                 | \$ 9.40              | 100 MB1         | 1 1/4"     | 06-G125-E-AL                   | \$ 9.10              |
| DIXEN  | 1 1/2"                | 06-G150-A-AL                 | \$ 6.83              |                 | 1 1/2"     | 06-G150-E-AL                   | \$ 7.84              |
|  | 2"                    | 06-G200-A-AL                 | \$ 7.30              |                 | 2"         | 06-G200-E-AL                   | \$ 10.05             |
|  | 2 1/2"                | 06-G250-A-AL                 | \$ 17.45             |                 | 2 1/2"     | 06-G250-E-AL                   | \$ 19.22             |
|  | 3"                    | 06-G300-A-AL                 | \$ 14.75             |                 | 3"         | 06-G300-E-AL                   | \$ 18.10             |
| Part A   | 4'                    | 06-G400-A-AL                 | \$ 23.24             | Part E          | 4'         | 06-G400-E-AL                   | \$ 29.84             |
| Female Coupler   | r <b>x</b>            |                              |                      | Male Adaptor    | x          |                                |                      |
| Male NPT   | Size                  | Aluminum                     | Price                | Male NPT        | Size       | Aluminum                       | Price                |
|  | 3/4"                  | 06-G75-B-AL                  | \$ 12.86             |                 | 3/4"       | 06-G75-F-AL                    | \$ 6.55              |
|  | 1"                    | 06-G100-B-AL                 | \$ 14.25             |                 | 1"         | 06-G100-F-AL                   | \$ 6.83              |
|  | 1 1/4"                | 06-G125-B-AL                 | \$ 19.44             |                 | 1 1/4"     | 06-G125-F-AL                   | \$ 11.25             |
|  | 1 1/2"                | 06-G150-B-AL                 | \$ 16.33             |                 | 1 1/2"     | 06-G150-F-AL                   | \$ 8.23              |
| g  | 2"                    | 06-G200-B-AL                 | \$ 16.99             |                 | 2"         | 06-G200-F-AL                   | \$ 9.19              |
| W W  | 2 1/2"                | 06-G250-B-AL                 | \$ 30.91             |                 | 2 1/2"     | 06-G250-F-AL                   | \$ 21.30             |
| Part B   | 3"                    | 06-G300-B-AL                 | \$ 28.12             | Don't E         | 3"         | 06-G300-F-AL                   | \$ 20.16             |
|  | 4'                    | 06-G400-B-AL                 | \$ 39.59             | Part F          | 4'         | 06-G400-F-AL                   | \$ 29.47             |
| Female Coupler   |                       | A I                          | Duine                | Dust Plug       | 0:         | Alexania                       | Duine                |
| Hose Shank   | Size                  | Aluminum                     | Price                |                 | Size       | Aluminum                       | Price                |
| No. of the last of | 3/4"<br>1"            | 06-G75-C-AL                  | \$ 12.81             |                 | 3/4"<br>1" | 06-G75-DP-AL                   | \$ 5.90              |
|  | 1 1/4"                | 06-G100-C-AL<br>06-G125-C-AL | \$ 13.11             |                 | 1 1/4"     | 06-G100-DP-AL<br>06-G125-DP-AL | \$ 5.69              |
| F  | 1 1/4                 | 06-G125-C-AL                 | \$ 18.52<br>\$ 15.73 | 100 mm (S)      | 1 1/4      | 06-G125-DP-AL<br>06-G150-DP-AL | \$ 6.79<br>\$ 6.62   |
|  | 2"                    | 06-G150-C-AL                 | \$ 15.73<br>\$ 18.17 |                 | 2"         | 06-G200-DP-AL                  | \$ 6.62<br>\$ 7.84   |
| W  | 2 1/2"                | 06-G250-C-AL                 | \$ 10.17             |                 | 2 1/2"     | 06-G250-DP-AL                  | \$ 7.04<br>\$ 11.64  |
|  | 3"                    | 06-G300-C-AL                 | \$ 30.75<br>\$ 28.04 |                 | 3"         | 06-G300-DP-AL                  | \$ 11.04<br>\$ 13.20 |
| Part C   | 3<br>4'               | 06-G400-C-AL                 | \$ 20.04<br>\$ 43.59 | Part DP         | 3<br>4'    | 06-G400-DP-AL                  | \$ 13.20             |
|  |                       | 00-0400-C-AL                 | φ 45.59              |                 | -          | 00-0400-DF-AL                  | Ψ 20.00              |
| emale Coupler  | x<br>Size             | Aluminum                     | Price                | Duct Can        | Size       | Aluminum                       | Price                |
| Female NPT   | 3/4"                  | 06-G75-D-AL                  | \$ 14.46             | Dust Cap        | 3/4"       | 06-G75-DC-AL                   | \$ 12.69             |
|  | 1"                    | 06-G100-D-AL                 | \$ 13.91             |                 | 1"         | 06-G100-DC-AL                  | \$ 12.44             |
| O D ZOR  | 1 1/4"                | 06-G125-D-AL                 | \$ 20.20             |                 | 1 1/4"     | 06-G125-DC-AL                  | \$ 16.73             |
| S 200-0  | 1 1/2"                | 06-G150-D-AL                 | \$ 15.83             |                 | 1 1/2"     | 06-G150-DC-AL                  | \$ 15.23             |
|  | 2"                    | 06-G200-D-AL                 | \$ 18.01             |                 | 2"         | 06-G200-DC-AL                  | \$ 14.75             |
|  | 2 1/2"                | 06-G-250-D-AL                | \$ 31.45             |                 | 2 1/2"     | 06-G250-DC-AL                  | \$ 24.66             |
| U  | 3"                    | 06-G300-D-AL                 | \$ 29.89             |                 | 3"         | 06-G300-DC-AL                  | \$ 27.44             |
| Part D   | 4'                    | 06-G400-D-AL                 | \$ 40.39             | Part DC         | 4'         | 06-G400-DC-AL                  | \$ 34.74             |
|  | Size                  | Regular E                    | xtra Thick           |                 | Replace    | ement Handles                  |                      |
|  | 1"                    | \$ 1.21                      | \$ 1.56              |                 |            | 1.4                            |                      |
| Replacement  | 1 1/4"                | \$ 1.24                      | \$ 2.03              |                 |            |                                |                      |
| Gaskets  | 1 1/2"                | \$ 1.31                      | \$ 2.07              |                 |            |                                |                      |
|  | 2"                    | \$ 1.30                      | \$ 2.10              | Size            | ı          | Part #                         | Price                |
|  | 2 1/2"                | \$ 1.42<br>\$ 1.51           | \$ 2.68<br>\$ 2.38   | 1 1/4" - 2 1/2" |            | 3152HRP                        | \$ 6.00              |

3" - 4"

\$ 2.38

\$ 3.03

06-G34HRP

\$ 8.94





Toll Free: 1-877-737-4690 www.strickequipment.com

### SPOOL ADAPTERS, SPOOL COUPLERS, REDUCER FITTINGS

| SPOOL COUPLER MALE COUPLER X |  |
|------------------------------|--|
| MALE COUPLER                 |  |
|                              |  |



SPOOL COUPLER
FEMALE COUPLER
X
FEMALE COUPLER



**REDUCER COUPLERS TO ADAPTERS** 



| MODEL#                                   | PREFERRED |
|--|-----------|
| 06-150-AA-AL<br>1 1/2" x 1 1/2"          | \$ 38.45  |
| 06-1520-AA-AL<br>1 1/2" x 2"             | \$ 41.11  |
| 06-200-AA-AL<br>2" x 2"                  | \$ 37.28  |
| 06-2030-AA-AL<br>2" x 3"                 | \$ 58.26  |
| 06-300-AA-AL<br>3" x 3"                  | \$ 58.96  |
| 06-3040-AA-AL<br>3" x 4"                 | \$ 85.33  |
| 06-400-AA-AL<br>4" x 4"                  | \$ 78.00  |
| 06-200-DD-AL<br>2" x 2"                  | \$ 66.50  |
| 06-2030-DD-AL<br>2" x 3"                 | \$ 99.79  |
| 06-300-DD-AL<br>3" x 3"                  | \$ 87.03  |
| 06-3040-DD-AL<br>3" x 4"                 | \$ 127.09 |
| 06-400-DD-AL<br>4" x 4"                  | \$ 115.73 |
| 06-3020-DA-AL<br>3" Coupler x 2" Adapter | \$ 68.95  |
| 06-4020-DA-AL<br>4" Coupler x 2" Adapter | \$ 102.83 |
| 06-4030-DA-AL<br>4" Coupler x 3" Adapter | \$ 104.76 |

ALL PARTS A, B, C, D, E, & F ARE AVAILABLE IN REDUCER SIZES. CALL FOR PRICING



**H6** 

Toll Free: 1-877-737-4690 www.strickequipment.com

| TRANSPORT  | EQUIPMENT     |             |
|--|---------------|-------------|
| Dual Vanor Bassyan, Elhaur   | MODEL#        | PREFERRED   |
| 3" Vapor Recovery Elbow  Cast Aluminum Compact, low profile design Four bolt flange pattern  | 26-880-465-01 | \$ 854.71   |
| Product Drop Elbow - Dual Point  |               |             |
| Cast Aluminum<br>Four bolt flange pattern<br>4" Male Cam/Grove with Sight<br>Glass   | 26-880-455-01 | \$ 1,167.13 |
| Deep Burial Application Elbow  22" Tall Product Elbow Cast Aluminum Four bolt flange pattern 4" Male Cam/Groove with Sight Glass   | 26-880-493-02 | \$ 1,328.42 |
| API Bottom Loading Adaptor  (Short Stroke)  Quick Closing 3 position handle Compatible with all API dry disconnet couplers  Constructed with a standard TTMA 4" tank truck flange and mounting lugs for EBW Air Interlock Valve. | 26-880-500-02 | \$ 862.33   |
| API Bottom Loading Adaptor  Same Specifications as 26-880-500-02 except this unit has a 3" sight glass   | 26-880-500-04 | \$ 955.04   |



# Leaders in Fluid Handling Solutions Toll Free: 1-877-737-4690

**H7** 

www.strickequipment.com

|  | TRANSPORT  | EQUIPMENT                                      |                  |
|--|--|--|------------------|
|  | Female Gravity Drop Adaptor  | MODEL#   | PREFERRED        |
|  | 22 1/2° angle Heat treated aluminum alloy body Buns-N gaskets Forged bronze ams and stainless pins Meets API RP 1004 specifications 4" Female  | 26-880-330-01                                  | \$ 295.91        |
|  | Male Gravity Drop Adaptor  22 1/2° angle  Heat treated aluminum alloy body Buns-N gaskets  Forged bronze ams and stainless pins Meets API RP 1004 specifications 4"  Cam and Groove                      | 26-880-411-01                                  | \$ 213.36        |
|  | Emergency Valve Victaulic  Mechanically Operated 90° E-Valves High Flow Rate Fits Std 4" TTMA Sump Shear grove meets DOT 406 requirements Shear section per TTMA, RP84-92 and meets DOT 49 CFR 178.345-8 | 26-880-430-01                                  | \$ 913.13        |
|  | Air Interlock Valve  Three-way Air Valve 1/4" NPT connections Can be used normally open or normally closed Adjustable stem Comes with standardized TTM & API mounting holes                              | 26-880-150-01 Other sizes and models available | <b>\$ 166.37</b> |
| E EN D   | API Dust Cap  Corrosive resistant API Dust Cap shields valuable bottom loading valves from destructive outside elements.   | API Dust Cap<br><b>26-880-403-01</b>           | \$ 185.42        |
| A de la constant de l | Couples on all EBW valves and API bottom loading adaptors using a Buna-N gasket. Includes heavy-duty attachment chain  | API Gasket<br>26-880-206-01                    | \$ 20.32         |
|  | Hose Tube Doors  Cast Aluminum Frame & Cap Spring Steel, chrome plated hardware Nylon bushing  | 6"<br>26-784-300-03                            | \$ 105.41        |



**H8** 

Toll Free: 1-877-737-4690 www.strickequipment.com

| NOTES   |
|---|
| PLEASE USE THIS PAGE TO KEEP TRACK OF YOUR MOST |
| POPULAR ITEMS ORDERED AND THEIR PART NUMBERS    |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |
|   |